

PROBLEMS OF PHYSICS OF THE ATMOSPHERE. No. 6
Tables of Contents and Figure and Table Titles

K.Ya. Kondrat'yeva, ed.

Handwritten

Translation of the Table of Contents,
and Figure and Tables, Titles of the book:
Problemy Fiziki Atmosfery, Sbornik 6 (Com-
pilation 6), Leningrad: "Leningrad
University" Press, 1968.

(NASA-TT-F-14424) PROBLEMS OF PHYSICS OF
THE ATMOSPHERE, NO. 6 Table of Contents
and Figure and Table Titles K.Y.

Kondratyeva (NASA) Jun. 1972 11 p CSCL

N73-10396

04A G3/13 Uncclas 46101

Problems of Physics of the Atmosphere

(Translation of Titles, Subtitles and Captions Only)

**From: Problemy Fiziki Atmosfery, Sbornik 6, Leningrad,
Izdatelstvo Leningradskogo Universiteta, 1968.**

Order of Lenin
Leningrad State University

In the name of

A. A. Zhdanov

Problems of Physics of the Atmosphere

Collection 6

Edited by Prof. K. Ya Kondrat'yev

Leningrad University Press

1968

Table of Contents

	Page
K. Ya. Kondrat'yev, V. L. Gaevskii, B. P. Kosyrev, M. P.	
Fedorova. Meteorological Research on the Lunar Surface.....	3
Yu. M. Timofeev. Concerning the Approximate Methods for the Calculation of a Non-homogeneous Atmosphere.....	23
N. I. Polischvk, Yu. M. Timofeev. Concerning the Possi- bility of Utilizing Spectral Transparency Measurements of the Atmosphere in a Millimeter Range for Determining Moisture at High Altitudes.....	29
K. E. Yakushevskaya. Angular Distribution of Long-Wave Drifting Radiation With Various Calculation Methods of Absorp- tion Relationship to Pressure.....	35
S. D. Andreev. Methods of Investigating Moisture at High Altitudes.....	44
L. S. Ivlev, O. M. Surikov. Aerostatic Measurements of Vertical Distribution of the Atmospheric Aerosol.....	59
L. S. Ivlev, G. N. Krasnoschekova, G. N. Panova, O. M. Surikov. Experimental Methods of Investigating Atmospheric Aerosol. I. Methods of Obtaining and Analysis of the Probe.....	63
L. S. Ivlev, N. S. Bursakova, O. M. Surikov. Measurement of Atmospheric Aerosol Distribution in Near-Earth Layers.....	77
L. G. Bol'shakova, V. A. Vasil'eva. Concerning Chemi- luminescence of Rhodamine 6.....	78

A. L. Osherovich, A. K. Suslov. The Determination of Ozone Contents and Transparency Oscillation in Kuhl-Sar in May, 1966.....	86
I. Ya. Badinov, A. V. Poberovskii. Automatic Aerostatic Spectrometer With a Diffraction Grid for Regions of 0.2 - 0.4 mkm.....	91
M. M. Kokhanovich. The Possibility of Utilizing Surface-Active Materials for Action on Cumulus Clouds.....	95

	Page
Meteorological Research on the Lunar Surface.....	3
I. Equipment.....	3
Figure 1. Pyranometer with one (a) and two (b) semispherical intake apparatus.....	4
Figure 2. Balance meter (pyroselenometer).....	5
Table 1. Surface.....	8
Table 2. Temperature of the instrument housing ($^{\circ}$ K) with $L = 100$ cm.....	9
Figure 3. Diagram of a radiative balance station of the lunar surface. 1. Balance (equilibrium) measure, 2. pyronometer, 3. thermometer, 4. level, 5. leads to the measuring apparatus.....	12
II. Radiation Balance Calculations.....	12
Table 3. Temperature distribution on the lunar disc at full moon period (24 - 25 April, 1956 .., $\alpha = 2,8$).....	14
Figure 4. Temperature relationship of the central lunar disc to a given lunation period for various γ values (from 20 to 1,200).....	15
Figure 5. Surface temperature distribution according to latitude and longitude. Phase angle $\alpha = 16^{\circ}$, $\gamma = 400$	15
Figure 6. Isotherms for a 22-day period recorded on the lunar surface.....	16
Figure 7. Distribution of radiative balance on the lunar equator by data obtained from [12]. 1-- $S_{\text{cos}}(1 - A)$; 2-- $\xi \epsilon T^4$; 3-- R_m	17

Figure 8. Distribution of radiative balance of the moon by longitude (E--W) with $\alpha = 16^\circ$ and $\gamma = 400$ from data in [11]. Designations are same as in Fig. 7.....	18
Figure 9. Distribution of radiative balance of the moon according to the central meridian (S--N) by data obtained from [11]. Designations are the same as in Fig. 7.....	18
Figure 10. Distribution of individual components and radiative balance for their types of surfaces for various γ from data in [11]. Designations are same as Fig. 7.....	19
Figure 11. Distribution of radiative balance on the illuminated lunar disc.....	21
Concerning the Approximate Methods for the Calculation of a Non-homogeneous Atmosphere.....	
Calculation Data.....	23
Conclusions.....	25
Table 1. Comparison of precise passage and functions with those received by approximation methods ($p_0 = 1000$ mb).....	26
Table 2. Passage of 1000 - 200 mb, $p_0 = 200$ (Alzasser's model).....	27
Table 3. Comparison of passage functions ($n = 1$, $\delta = 0.104$ cm^{-1} , Alzasser's model).....	27

Concerning the Possibility of Utilizing Spectral Transparency Measurements of the Atmosphere in a Millimeter Range for Determining Moisture at High Altitudes.....	29
Calculations of Atmospheric Transparency.....	30
Figure 1. Representation of moisture distribution in the atmosphere, used in the calculations. 1) 7--direct, corresponding to various models of moisture distribution in the atmosphere. When $h = 80$ km, model seven reaches a value of $q = 5 \cdot 10^{-2}$ g/g.....	31
Figure 2. Influence of the apparatus with a perpendicular instrument function on the measured passage of the atmosphere. 1) without calculating apparatus influence; 2--width of instrument function equal to 0.0003 cm; 3--width of instrument function equal to 0.0007 cm.....	32
Solving the Reverse Problem.....	32
Figure 3. Example of profile resumption of moisture for a semi-layer atmosphere.....	33
Conclusions.....	34
Angular Distribution of Long-Wave Drifting Radiation With Various Calculation Methods of Absorption Relationship to Pressure.....	35
Dimensions p_{ef} and w_{ef} for an atmospheric column between level z and 38.8 km. (65° North Lat., summer, $\tau = 0$).....	38

Table 2. Dimension $\frac{N}{U}$ (in %) for $n = 1$	39
Table 3. Dimension $\frac{N}{U}$ (in %) for $n = 0.5$	39
Table 4. Dimension $\frac{N}{U}$ (in %) with utilization of Curtis-Godson method for band absorption 6.3 mkm H_2O (4.88 - 8.70 mkm).....	40
Figure 1. Angular distribution of drifting radiation in visual sighting of the earth disc for a cloudless atmosphere ($H = 300$ km, 65° North lat., summer).....	40
a) spectrum region 6.49 ± 6.58 mkm; b) spectrum region 41.7 ± 45.5 mkm; 1) calculation with $n = 1$; 2) calculation with $n = 0.5$; 3) calculation with $n = 0$.	
Figure 2. Relationship of intensivity of drifting emission to the altitude of the ray over the earth's surface for a cloudless atmosphere (65° North lat., summer) with $h_0 \gg 0$. a) spectrum region 4.88 ± 8.70 mkm; b) 18 ± 40 mkm; c) 6.49 ± 6.58 mkm; d) 41.7 ± 45.5 mkm; e) 5.00 ± 5.05 mkm; f) 17.9 ± 18.5 mkm. 1--calc. with $n = 1$; 2--with $n = 0.5$; 3--with $n = 0$; 4--calc with Curtis-Godson method.....	43
Methods of Investigating Moisture at High Altitudes.....	44
Aerostatic Measurements of Vertical Distribution of the Atmospheric Aerosol.....	59
Figure 1. Effective capture of aerosol particles with aerostatic impaction.....	60

Figure 2. Distribution of aerosol particles at the base for first and second launch. N_{rel} --relative calculated concentration; 1--27 July, 1966; 2--10 August, 1966.....	60
Figure 3. Ascent rate of coupling spheres for a first and second launch. 1--27 July, 1966; 2--10 August, 1966.....	60
Figure 4. Vertical profile of computed concentrations of aerosol particles and temperatures. 1--27 July, 1966;	
2--10 August, 1966.....	61
Figure 5. Distribution of aerosol particles by size for different altitudes. 1) 17 - 21 km; 2) 8 - 10 km; 3) 21 - 24 km; 4) 12 - 16 km; 5) 3 - 5 km; 6) 24 - 27 km.....	62
Experimental Methods of Investigating Atmospheric Aerosol. I.	
Methods of Obtaining and Analysis of the Probe.....	63
Evaluation of Apparatus Application for Investigation of Atmospheric Aerosol.....	64
Table 1. Effectiveness of various methods of obtaining aerosol probes.....	65
Thermo-precipitation.....	66
Figure 1. Thermo-precipitator, 1) Housing; 2) Wire; 3) Base layer.....	66
Gravity Precipitation.....	67

Filters.....	67
Electrostatic Precipitation.....	67
Inertial Precipitation.....	67
Figure 2. Impactor of a continual obtainance of probes.....	68
Figure 3. Cascade impactor (single action). 1, 2, 3--jet of first, second and third cascades, respectively; 4, 6, 8--base layer of first, second and third cascades, respect- ively; 5, 7, 9--objective table of first, second and third cascades; 10--connecting band.....	69
Figure 4. Effectiveness of a one-cascade impactor. $v_o = 100 \text{ m/sec.}; h = 0.2 \text{ mm}.$	70
Figure 5. Effectiveness of a tri-cascade impactor. 1, 2, 3--first, second and third cascades, respectively.....	70
Figure 6. HETZ aerosol spectrometer. 1) base layer; 2) rotor; 3) electromotor; 4) tachometer; 5) housing.....	71
Optical Microscopy of Aerosol Probes.....	71
Figure 7. Distribution of atmospheric aerosol particles by size. 1) $f(r) = -c/r^4$; 2) experimental data.....	72
Electronic Microscopy of Aerosol Probes.....	73
Figure 8. Photograph of an atmospheric aerosol, taken with an electron microscope.....	74
Figure 9. Diagram of gamma-spectrometer.....	75
Table 2. Analysis of results of particle matter.....	75

Conclusions.....	76
Measurement of Atmospherical Aerosol Distribution in Near-Earth Layers.....	77
Concerning Chemiluminescence of Rhodamine S.....	78
The Determination of Ozone Contents and Transparency Oscillation in Kuhl-Sar in May, 1966.....	86
Figure 1. Buger's line in a district of $\lambda_1 = 3140$ and $\lambda_3 = 4080\text{\AA}$. An ozone mass is set aside on the abscissa axis, on the ordinate--by the logarithm of the photoelectric current.....	87
Figure 2. Buger's line in a district of $\lambda_2 = 3315\text{\AA}$	87
Figure 3. Curve of a daylight path of ultraviolet changes of transparency. 21 May, 1966. Moscow time in hours is on the abscissa axis. On the ordinate axis--an equivalent value of general contents of ozone X, cm.....	89
Automatic Aerostatic Spectrometer With a Diffraction Grid for Regions of 0.2 - 0.4 mkm.....	91
Figure 1. Schematic diagram of a spectrometer.....	92
Figure 2. Schematic diagram of the amplifier.....	94
The Possibility of Utilizing Surface-active Materials for Action on Cumulus Clouds.....	95
Vertical distribution of velocities of anabatic flows in clouds, subjected to this activity:	97

$$a = \frac{\Delta w}{\Delta z} \approx 2 \frac{M/cek}{km}; b = \frac{\Delta w}{\Delta z} > 2 \frac{M/cek}{km}. a: 1 - 9 VIII 1963 r.; 2 - 23 VIII 1965 r.; 3 - 30 IX 1966 r. b: 1 - 14 IX 1963 r.; 2 - 18 IX 1964 r.; 3 - 23 IX 1966 r.$$